

SAFETY DATA SHEET

SECTION 1 Chemical product and company identification

Chinese name of chemical	Not available.	
English name of chemical	Tacusil UVA0207HV	
Manufacturer/Supplier	Kitpackers Trading (Huizhou) Co.,	
Address	Room 9,11 Floor, Chuangxin Building Block 1, No.1, Technology Road,	
	Technology Chuangxin Park, West of Dayabay, Huizhou City, Guangdong, P.R. China	
Emergency telephone	North America - Chemtrec: 1-800-424-9300 (24 hours)	
number	International - Chemtrec: 01-703-527-3887 (24 hours)	
	China: 0755-27295358	
Recommended use and Limitations	on use	
Recommended use	Acrylic Resin	
Limitations on use	No other uses are advised.	

SECTION 2 Hazards identification

Emergency overview May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Dangerous for the environment if discharged into watercourses.

Hazard categories				
Physical hazards	Not classified.			
Health hazards	Skin Sens. 1	H317		
Environmental hazards	Acute Tox. 4	H302		
Environmentar nazaruş	Aquatic Acute 1	H400		
	Aquatic Chronic	1 H410		

Label elements Pictograms



Signal word	Warming
Hazard statement	
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
Precautionary statement Prevent	on
P264	Wash thoroughly after handling.
P270	Do Not eat drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P284	Wear respiratory protection.
Response	
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P301 + P312	IF swallowed: call a poison center/doctor, if you feel unwell.
P308 + P313	IF exposed or concerned: Get medical advice/attention. P333 +
P313	If skin irritation or rash occurs: Get medical advice/attention.
P330	Rinse mouth.
P342 + P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor. p362
+ P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
Storage	
P403 + P233	Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up.
Disposal	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Physical and chemical hazards	The product is stable and non-reactive under normal conditions of use, storage and transport. No unusual fire or explosion hazards noted.
Health hazards	May cause an allergic skin reaction. Expected to be a low ingestion hazard. Causes serious eye irritation.
	Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

SECTION 3 Composition/information on ingredients

Substance/mixture	Mixture		
Chemical name		Concentration (%)	CAS Number
Acrylate Oligomer		<90	Proprietary

Chemical name

IBOA	>5	5888-33-5
Photocuring Agent	< 10	7473-98-5
PETMP	< 10	7575-23-7
Fumed Silica Proprietary	< 10	Proprietary

SECTION 4 First aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If experiencing respiratory symptoms: Call a poison center or doctor/physician.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.
Eye contact Ingestion	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Most important symptoms and	Rinse mouth. Get medical attention if symptoms occur.
health effects	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Difficulty in breathing. Skin irritation. May cause redness and pain. May cause
Personal protection for first-aid	an allergic skin reaction. Dermatitis. Rash.
responders Notes to physician	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.
	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
SECTION 5 Fire-fighting me	easures

Extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Extinguishing media to avoid	Water. Do not use water jet as an extinguisher, as this will spread the fire. During fire,
Specific hazards	gases hazardous to health may be formed.
Special fire fighting procedures	Move containers from fire area if you can do so without risk.
Protection of fire-fighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire. No
General fire hazards Specific	unusual fire or explosion hazards noted.
methods	Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
For emergency responders	Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

Clean-up methods and materials and containment measures	This product is miscible in water. Prevent entry into waterways, sewer, basements or confined areas. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Prevention of secondary hazards	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Not available.

SECTION 7 Handling and storage

Handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.
Storage	Store locked up. Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

SECTION 8 Exposure controls/personal protection

Exposure limits

Occupational Exposure Limits for Hazardous Agents in the Workplace, Chemical Hazardous Agents (ACGIH)				
Components	Туре	Value		
IBOA (CAS 5888-33-5)	TLV-TWA	0.05 ppm		

IBOA (CAS 5888-33-5)	TLV-TWA	0.05 ppm	
Biological limit values Monitoring	No biological exposure limits noted for the ingredien	nt(s). Follow	
methods Engineering measures	standard monitoring procedures.		
	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. General ventilation normally adequate. Provide eyewash station and safety shower.		
Personal protective equipment	1		
Respiratory protection	Chemical respirator with organic vapor cartridge and	l full facepiece. Wear	
Hand protection	appropriate chemical resistant gloves.		
Eye protection	Chemical respirator with organic vapor cartridge and full facepiece.		
Skin and body protection	Wear appropriate chemical resistant clothing. Use o	f an impervious apron is recommended.	
Hygiene measures	Observe any medical surveillance requirements. Alw washing after handling the material and before eatin	vays observe good personal hygiene measures, such as g, drinking, and/or smoking. Routinely wash work	

washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

SECTION 9 Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Not available.
Color	Translucent.
Odor	Mild Organic.
рН	Not available.
Melting point/freezing point	Not available.
Boiling point, initial boiling point, and boiling range	>430 °F

Flash point	Not available.
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	<0.2 at 77 $^{\circ}\mathrm{F}$
Vapor density	Not available.
Relative density	Not available.
Density	Not available.
Solubility(ies)	
Solubility (water)	Negligible.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Flammability (solid, gas)	Not applicable.
Other data	
Explosive properties	Not explosive.
Kinematic viscosity	Not available.
Kinematic viscosity temp	Not available.
Oxidizing properties	Not oxidizing.

SECTION 10 Stability and reactivity

Reactivity Stability	The product is stable and non-reactive under normal conditions of use, storage and transport. Material is
Possibility of hazardous	stable under normal conditions.
reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	
Incompatible materials	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials.
Hazardous decomposition	Strong oxidizing agents.

SECTION 11 Toxicological information

Acute toxicity	Not known.	
Components	Species	Test Results
IBOA (CAS 5888-33-5)		
<u>Acute</u>		
Dermal		
LC50	Rabbit	> 30000mg/kg bw
Oral		
LD50	Rat	4350 mg/kg
Photocuring Agent (CAS 747	73-98-5)	
Acute		
Dermal		
LC50	Rabbit	6929 mg/kg bw
Oral		
LD50	Rat	1694 mg/kg bw

PETMP (CAS 7575-23-7)

<u>Acute</u> Dermal			
Oral			
LD50	Rat		$> 1\ 000\ - < 2\ 000\ mg/kg\ bw$
Skin corrosion/irritation	Not available.		
Serious eye damage/eye	Not available.		
irritation			
Respiratory or skin sensitization			
Respiratory sensitization	Not available.		
Skin sensitizer Germ	May cause an allergic skin reac	tion.	
cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Not available.		
Toxic to reproduction	Suspected of damaging fertility	or the unborn child. May	
Specific target organ toxicity following single exposure	cause respiratory irritation.		
Specific target organ toxicity following repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	Prolonged inhalation may be ha	rmful.	
SECTION 12 Ecological infor Ecotoxicological data Aquatic	mation		
Components		Species	Test Results
IBOA (CAS 5888-33-5)	LC50	Fish	0.704 mg/L, 96 h
	NOEC(reproduction)	Daphnia magna	0.092 mg/L, 21d
	EC50(Growth rate)	Algae	1.98 mg/L, 72h
	NOEC(Growth rate)	Algae	0.405 mg/L, 72h
Photocuring Agent (CAS 7473-98-5)	LC50	Fish	160 mg/L, 48 h
	ErC50	Algae	1.95 mg/L , 72 h
PETMP (CAS 7575-23-7)	LC50	Fish	0.034 mg/L 96 h
	EC50	Daphnia magna	> 0.35 mg/L, 48 h
	EC50	Algae	> 0.12 mg/L, 72 h
Ecotoxicity Persistence and degradability Bioaccumulation	Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. No data is available on the degradability of any ingredients in the mixture. No data is available.		
Mobility in soil	This product is miscible in wate	er.	

Other hazardous effectsNo other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential,
endocrine disruption, global warming potential) are expected from this component.

SECTION 13 Disposal considerations

Product disposal: Dispose of in accordance with local and national regulations
--

Disposal of uncleanedpackages:	After use, tubes, cartons and bottles containing residual product should be disposed of as chemically contaminated waste in an authorised legal land fill site or incinerated.
SECTION 14 Transport information	on and the second se
Road transport CN_DG:	
Class:	9
Packing group:	III
Classification code:	
Hazard ident. number:	
UN no.:	3082
Label:	9
Technical name:	ENVIRONMENTALLYHAZARDOUSSUBSTANCE, LIQUID, N.O.S.
Marine transport IMDG:	
Class:	9
Packing group:	III
UN no.:	3082
Label:	9
EmS:	F-A ,S-F
Seawater pollutant:	Marine pollutant
Proper shippingname:	ENVIRONMENTALLYHAZARDOUSSUBSTANCE, LIQUID,
	N.O.S.
Air transport IATA:	
Class:	9
Packing group:	III
Packaging instructions (passenger):	964
Packaging instructions (cargo):	964
UN no.:	3082
Label:	9
Proper shippingname:	Environmentally hazardous substance, liquid, n.o.s.

SECTION 15 Regulatory information

The following laws and regulations lay down provisions in terms of chemicals safety use, storage, transportation, loading/ unloading, classification as well as symbol.

"Law of the People's Republic of China on Work Safety"

"Law of the People's Republic of China on the Prevention and Treatment of Occupational Diseases"

"Law of the People's Republic of China on environmental protection"

"Regulation on the Safety Management of Hazardous Chemicals" "Regulations on License to Work Safety"

SECTION 16 Other information

Disclaimer

The information offered in this data sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication, however, no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. This material is intended for industrial use only. No warranty, expressed or implied is made.